



## CAF Static Mixer Dimensional Drawings




### Index:

Air Inject Port	End Connections	Thread	See Page
Without	Thread x Thread	NPT (M) x NPT (M)	2
		NPT (M) x NPT (F)	3
		NH (M) x NH (F)	4
	Victaulic x Thread	NPT (M)	5
	Victaulic x Victaulic	-	6
With	Thread x Thread	NPT (M) x NPT (M)	7
	Victaulic x Thread	NPT (M)	8
	Victaulic x Victaulic	-	9




SIZE			ORDER PART NO.
END CONNECTION	DIAMETER	LENGTH IN/MM	
1-1/2 IN.	1.900 IN.	12.000/304.8	Q-0324080
2 IN.	2.375 IN.	7.000/177.8	Q-0324213
		12.000/304.8	Q-0324290
2-1/2 IN.	2.875 IN.	12.000/304.8	Q-0324081
		14.000/355.6	Q-0324085

**NPT (M) x NPT (M) THREAD  
WITHOUT AIR INJECT PORT**




SIZE			ORDER PART NO.
END CONNECTION	DIAMETER	LENGTH IN/MM	
3 IN.	3.500 IN.	12.000/304.8	Q-0324094

**NPT (M) x NPT (F) THREAD  
WITHOUT AIR INJECT PORT**




SIZE			ORDER PART NO.
END CONNECTION	DIAMETER	LENGTH IN/MM	
2-1/2 IN.	2.875 IN.	15.935/404.75	Q-0390104

**NH (M) x NH (F) THREAD  
WITHOUT AIR INJECT PORT**




SIZE			ORDER PART NO.
END CONNECTION	DIAMETER	LENGTH IN/MM	
1-1/2 IN.	1.900 IN.	8.000/203.2	Q-0324156
2 IN.	2.375 IN.	12.000/304.8	Q-0324092
		14.000/355.6	Q-0324093
2-1/2 IN.	2.875 IN.	12.000/304.8	Q-0324082
		14.000/355.6	Q-0324087
3 IN.	3.500 IN.	14.000/355.6	Q-0324095

**VICTUALIC x NPT (M) THREAD  
WITHOUT AIR INJECT PORT**




SIZE			ORDER PART NO.
END CONNECTION	DIAMETER	LENGTH IN/MM	
2-1/2 IN.	2.875 IN.	12.000/304.8	Q-0324083
		14.000/355.6	Q-0324089
		16.000/406.4	Q-0324091
3 IN.	3.500 IN.	14.000/355.6	Q-0324096

**VICTAULIC x VICTAULIC  
WITHOUT AIR INJECT PORT**



SIZE			ORDER PART NO.
END CONNECTION	DIAMETER	LENGTH IN/MM	
2-1/2 IN.	2.875 IN.	14.000/355.6	Q-0324086


**NPT (M) x NPT (M) THREAD  
WITH AIR INJECT PORT**



SIZE			ORDER PART NO.
END CONNECTION	DIAMETER	LENGTH IN/MM	
2-1/2 IN.	2.875 IN.	14.000/355.6	Q-0324088

**VICTAULIC x NPT (M) THREAD  
WITH AIR INJECT PORT**





SIZE			ORDER PART NO.
END CONNECTION	DIAMETER	LENGTH IN/MM	
2-1/2 IN.	2.875 IN.	12.000/304.8	Q-0324084
		14.000/355.6	Q-0324090

**VICTAULIC x VICTAULIC  
WITH AIR INJECT PORT**